



Equipment Health View User Guide



© 2022 Railinc. All Rights Reserved.

Last Updated: September 2022

Legal Disclaimer: Any actions taken in reliance on or pursuant to this document are subject to Railinc's Terms of Use, as set forth in <https://public.railinc.com/terms-use>, and all AAR rules.

Table of Contents

Learning about Equipment Health View.....	1
Overview.....	1
Prerequisites.....	1
User Tools and References	2
System Requirements.....	2
Accessing the Railinc Customer Success Center	2
Getting Started.....	3
Register to Use Railinc SSO	3
Requesting Equipment Health View Access.....	3
Logging In.....	4
Logging Out.....	5
Time Out/Unauthorized	5
Using Equipment Health View	6
Using the Search Portlet.....	8
Using the Equipment Location Portlet.....	9
Using the Umler Registry Portlet	10
Using the Repair and Inspection Reporting Portlet	11
Report Repair	13
EHMS Inspection.....	14
Equipment Advisory Inspection.....	15
ABT Inspection.....	16
Autorack Inspection	17
Car Grade Inspection	18
Multiple Actions in One Submission	19
Using the Umler Inspections Portlet.....	21
Using the Equipment Health Management System Portlet.....	22
Using the Equipment Advisory Notices Portlet.....	23
Using the Damaged and Defective Car Tracking Portlet.....	24
Using the Mileage Portlet	25
Accessing the User Guide	26
Glossary	27
Index.....	28

List of Exhibits

Exhibit 1. EHV Request Permission.....	3
Exhibit 2. User Mark Selection.....	4
Exhibit 3. Equipment Health View Home Page	5
Exhibit 4. Timeout/Unauthorized Messages.....	5
Exhibit 5. Equipment Health View Home Page Search Results.....	6
Exhibit 6. Search Results for Multiple Equipment IDs	8
Exhibit 7. Equipment Location Sample	9
Exhibit 8. Umler Registry Sample	10
Exhibit 9. Repair and Inspection Reporting by Equipment ID Form	11
Exhibit 10. Repair and Inspection Reporting Actions Drop-Down	11
Exhibit 11. Repair and Inspection Reporting Action Selected	12
Exhibit 12. Repair and Inspection Reporting Report Repair Form.....	13
Exhibit 13. Repair and Inspection Reporting Success Message	14
Exhibit 14. Repair and Inspection Reporting EHMS Inspection Form	14
Exhibit 15. Repair and Inspection Reporting Equipment Advisory Inspection Form	15
Exhibit 16. Repair and Inspection Reporting ABT Inspection Form.....	16
Exhibit 17. Repair and Inspection Reporting Autorack Inspection Form.....	17
Exhibit 18. Repair and Inspection Reporting (Car Grade Inspection).....	18
Exhibit 19. Multiple Repairs and Inspection Ready for Submission.....	19
Exhibit 20. Multiple Repairs and Inspection After Submission	20
Exhibit 21. Umler Inspections Sample	21
Exhibit 22. Equipment Health Management System Sample	22
Exhibit 23. Equipment Advisory Sample	23
Exhibit 24. Damaged and Defective Car Tracking Sample	24
Exhibit 25. Mileage with applied Wheelset Components.....	25

Learning about Equipment Health View

Equipment Health View (EHV) is a web-based application that consolidates equipment information from Railinc's Umler®, Equipment Health Management System (EHMS), Damaged and Defective Car Tracking (DDCT), and Equipment Advisory (EA) systems, as well as mileage information from the Event Repository.

Overview

Equipment Health View enables authorized users to:

- View a subset of Umler data for an Equipment ID
- Report repairs and associate component IDs
- Report inspections for an Equipment ID for Equipment Advisories, EHMS, and Umler
- View Equipment Advisory notices for an Equipment ID
- View alert status for an Equipment ID
- View data summaries for an Equipment ID
- View damaged and defective status for an Equipment ID
- View mileage for an Equipment ID
- View inspection status for an Equipment ID
- View location status for an Equipment ID

Prerequisites

To attain full use of EHV, contact your Company Admin and request the following application-specific SSO permissions:

- EHV
 - EHV Generic Access
- Umler
 - Umler Access for Maintenance
 - Umler Access for Query
 - Umler Inspection Rights (for reporting inspections)
- EHMS
 - Generic Access
 - Car Repair History (for reporting any repairs and inspections)
- DDCT
 - Handling Carrier (if applicable)
 - Car Owner (if applicable)
- Equipment Advisory
 - Equipment Advisory Query
 - Equipment Advisory Rept Inspections
- CRB
 - CRB Billing Repair Card User

User Tools and References

Refer to the following guides for information about application-specific reporting and requirements:

- [*Umler User Guide*](#)
- [*EHMS User Guide*](#)
- [*Equipment Advisory User Guide*](#)
- [*DDCT User Guide*](#)
- [*Component Tracking User Guide*](#)
- [*CRB Procedures Manual*](#)
- [*AAR Field Manual*](#) (link to purchase)
- [*AAR Office Manual*](#) (link to purchase)

System Requirements

For information about the system requirements of Railinc web applications and for information about downloading compatible web browsers and file viewers, refer to the [*Railinc UI Dictionary*](#).

Accessing the Railinc Customer Success Center

The Railinc Customer Success Center provides reliable, timely, and high-level support for Railinc customers. Representatives are available to answer calls and respond to emails from 7:00 a.m. to 7:00 p.m. Eastern time, Monday through Friday, and provide on-call support via pager for all other hours to ensure support 24 hours a day, 7 days a week. Contact us toll-free by phone at 877-RAILINC (1-877-724-5462) or send an email directly to csc@railinc.com.

Getting Started

The Equipment Health View application is accessed using the Railinc Single Sign On (SSO), which can be accessed from the Railinc portal at <https://public.railinc.com/> and log into SSO by selecting the **Customer Login** link in the top right corner.

Register to Use Railinc SSO

Before you can use Equipment Health View, you must register to use Railinc Single Sign On, which provides access to Railinc applications. Refer to the [Single Sign-On and Launch Pad User Guide](#). Once you are registered to use SSO, you can use SSO to request access to EHV.

Requesting Equipment Health View Access

After authorization to use Railinc SSO is received, you must request access to EHV (see [Exhibit 1](#)). Refer to the [Single Sign-On and Launch Pad User Guide](#) for more information. See [Prerequisites](#) for additional requirements.

Exhibit 1. EHV Request Permission

The screenshot shows a web form titled "Request Application Access by Role" with a breadcrumb "Home / Request Application Access by Role". At the top right, there is a green "ACTIVE" status indicator with a dropdown arrow. Below this, the form is for "Equipment Health View". A progress bar at the top of the form shows three steps: "1 Select Roles" (active), "2 Confirm", and "3 Done". The "Select Roles" section contains two checkboxes, both marked as "MARK required". The first checkbox is for "EHV Generic Access", with a description: "Allows read only view of data in EHV. Access to EHMS, Early Warning, Umler and DDCT must be requested separately as noted in EHV User Guide." The second checkbox is for "EHV Road Admin", with a description: "Company Administrator who will manage the assignment of EHV related roles for their company. This user will receive emails for requested permissions for their respective company and must grant permission as determined by their respective company." Below the checkboxes is a "Comments..." text area. At the bottom right, there are "Return" and "Next" buttons. A small "0/255" character count is visible near the "Next" button.

When you receive e-mail notification of access to EHV, you can log on and begin using EHV.


Logging In

To log into Equipment Health View:

1. Open your internet browser and enter <https://public.railinc.com> to open the Railinc website.
2. Select the **Customer Login** link in the upper right of the page. The Account Access page is displayed.
3. Enter your **User ID** and **Password**. Select **Sign In**. The Railinc Launch Pad is displayed.
4. In **My Applications**, select **Equipment Health View**.

The **User Mark Selection** popup is displayed ([Exhibit 2](#)). Use the drop-down to select the desired company and select **Submit**.

Exhibit 2. User Mark Selection

A screenshot of a 'User Mark Selection' popup window. The title 'User Mark Selection' is in red. Below it, there is a label 'Select a Mark' in blue. Underneath is a dropdown menu with 'RAIL' selected and a blue arrow pointing down. At the bottom right, there are two buttons: 'Cancel' and 'Select'.

The Equipment Health View Home page is displayed ([Exhibit 3](#)).

Note: The logged in user at the top right of the Welcome page reflects the selected company for multi-company users.

Exhibit 3. Equipment Health View Home Page

The screenshot displays the Equipment Health View Home Page. On the left, there is a 'Search' section with a text input field and 'Clear' and 'Search' buttons. Below this are three modules: 'Equipment Location' (No location data found for equipment), 'Umler Registry' (No UMLER data found for equipment, with a 'Launch Umler' button), and 'Equipment Health Management System' (No open alerts found for equipment, No open data summaries found for equipment, with a 'Launch EHMS' button). On the right, there are four more modules: 'Repair and Inspection Reporting' (No equipment selected), 'Umler Inspections' (No UMLER inspection data found for equipment, with a 'Launch Umler' button), 'Damaged and Defective Car Tracking' (No DDCT items found for equipment, with a 'Launch DDCT' button), and 'Equipment Advisory' (No equipment advisory assignments found for equipment, with a 'Launch Equipment Advisory' button). At the bottom right is a 'Mileage' module (No equipment mileage records found for equipment).

Logging Out

Select the **Sign Out** link to end an Equipment Health View (SSO) session. You are returned to the SSO Login Page.

If multiple SSO applications are open (in separate browser windows), and you want to close only one, close the unwanted window using **X**, or **Alt+F4**. Do NOT select the **Sign Out** link—it ends the entire Single Sign-On session (and *all* applications).

Time Out/Unauthorized

When the Equipment Health View session has been idle for 30 minutes, messages similar to [Exhibit 4](#) are displayed. You must log back into EHV to continue working. You may see the red prompting messages if you don't have permissions to view or submit information from respective applications.

Exhibit 4. Timeout/Unauthorized Messages

The screenshot shows a 'Session Timeout' dialog box on the left with the message 'Your session has timed out. Please log back in to continue.' and a 'Close' button. On the right, there is a list of error messages under the heading 'Report ABT' and 'M - Manual'. The messages are: 'Not authorized to submit this Air Brake Test.' (two instances) and 'Report UMLER Inspection - Failed'. Each message has a red 'X' icon on the left and a red 'X' icon on the right.

Using Equipment Health View

Equipment Health View is a dashboard-style interface that enables you to see pertinent information from various Railinc applications at a glance. Information from different applications is displayed in *portlets* as shown below.

Exhibit 5. Equipment Health View Home Page Search Results

Search

[Clear](#) [Search](#)

RAIL0000000347

Equipment Location

No location data found for equipment RAIL0000000347

Umler Registry

No UMLER data found for equipment RAIL0000000347

[Launch Umler](#)

Repair and Inspection Reporting- RAIL0000000347

Equipment ID *	Repair Date *	x	SPLC *	Q	Performer *	Reporter *
RAIL0000000347	9/1/2022					RAIL

Select Action ▼ [Clear](#) [Submit](#)

Umler Inspections

No UMLER inspection data found for equipment RAIL0000000347

[Launch Umler](#)

Equipment Health Management System

No open alerts found for equipment RAIL0000000347

Data Summaries

Data Summary	Location	Status	Maximum Readings
BrakeHealth_CAR	Base	No alert	BHI 99

[Launch EHMS](#)

Damaged and Defective Car Tracking

No DDCT items found for equipment RAIL0000000347

[Launch DDCT](#)

Equipment Advisory

No equipment advisory assignments found for equipment RAIL0000000347

[Launch Equipment Advisory](#)

Mileage

✖ A system error has occurred, please try again. If you continue to receive this error contact Railinc Support.

Certain portlets enable you to launch the source application for the portlet. To do this, select the launch link at the bottom of the portlet. If you have authorization, the source application opens, and you can use that application. If you do not have authorization, an SSO Unauthorized Access Attempt Warning is displayed.

The following applications are available to launch from EHV:

- Umler
- EHMS
- DDCT
- Equipment Advisory

Hint: Click the launch link to open the application in a new browser window.

To return from a linked application, select the Launch Pad link at the top of the application, reselect **Equipment Health View**. The most recent search remains.

Several portlets have a refresh icon (🔄) in the upper right corner. Select the icon to refresh the contents of that portal.

The following sections describe EHV functionality:

- [Using the Search Portlet](#)
- [Using the Equipment Location Portlet](#)
- [Using the Umler Registry Portlet](#)
- [Using the Repair and Inspection Reporting Portlet](#)
- [Using the Umler Inspections Portlet](#)
- [Using the Equipment Health Management System Portlet](#)
- [Using the Equipment Advisory Notices Portlet](#)
- [Using the Damaged and Defective Car Tracking Portlet](#)
- [Using the Mileage Portlet](#)
- [Accessing the User Guide](#)

Using the Search Portlet

To use the Search portlet to search for a specific piece of equipment or a range of equipment:

1. Type an Equipment ID or a range of Equipment IDs in the Search box and select **Search**. Results found are shown below.

Note: You can view up to 200 IDs in the results list. Wildcards are not supported.

Exhibit 6. Search Results for Multiple Equipment IDs

Search

RAIL1-50

Clear Search

Please click on the View button for car results

Equipment ID

- RAIL0000000001
- RAIL0000000002
- RAIL0000000003 **View**
- RAIL0000000004
- RAIL0000000005
- RAIL0000000006

Equipment Location

Location information for equipment RAIL0000000003 is confidential

Umler Registry

No UMLER data found for equipment RAIL0000000003

Launch Umler

Repair and Inspection Reporting- RAIL0000000003

Equipment ID* RAIL0000000003 Repair Date* 9/26/2022 SPLC* Performer* CSXT

Select Action

Clear Submit

Umler Inspections

No UMLER inspection data found for equipment RAIL0000000003

Launch Umler

Equipment Health Management System

Alerts

Alert Type	Location	Alert Level	At Level Since	Event Name	Action	Action
MV Coupler E Securement	Coupler B	ATSI Window Open	12/11/2019	MIS_RETAINER	Inspection	
ABD	Wheel Bearing 02L	AAR A1	08/29/2019	Cup_SA_Eq_1	Inspection	Repair
ABD	Wheel Bearing 02R	AAR A1	08/29/2019	Cone_SA_Eq_1	Inspection	Repair

No open data summaries found for equipment RAIL0000000003

Launch EHMS

Damaged and Defective Car Tracking

No DDCT items found for equipment RAIL0000000003

Launch DDCT

Equipment Advisory

No equipment advisory assignments found for equipment RAIL0000000003

Launch Equipment Advisory

Mileage

A system error has occurred, please try again. If you continue to receive this error contact Railinc Support.

When a range is submitted, the equipment list displays below the Search portlet. Data obtained for the **first** Equipment ID in the list is displayed in the other portlets.


To view information for a different Equipment ID in the equipment list, scroll to a different ID and select the **View** button associated with that ID. The data is refreshed in the other portlets.

2. To execute a new search, overtype the Search field and select the **Search** button.

Using the Equipment Location Portlet

The Equipment Location portlet displays equipment location information from the Event Repository. This portlet displays the location (city/state) and last move information to the car owner.

Exhibit 7. Equipment Location Sample



Note: If no events have been reported, the Equipment Location portlet displays the following message: No location data found for equipment [RAIL0000000347].


If you are not the car owner, the portlet displays “Location information for equipment *<car number>* is confidential”.

Using the Umler Registry Portlet

The Umler Registry portlet displays information about the searched Equipment ID. Content varies based on the information available from Umler.

Exhibit 8. Umler Registry Sample

Umler Registry



General

Stenciled Mark Owner	RAIL
Status Code	P - PRE-REGISTERED
Built Date	10/10/2000
Equipment Type Code	M550

Capacity

Gross Rail Load/Weight	80000 lb
Load Limit	40000 lb

Specifications

Truck Count	2
Axle Count	4
Outside Length	45 ft, 1 in

[Launch Umler](#)

Note: Other than launching Umler, no actions are available from this portlet.

To view the complete data for the selected Equipment ID, select the **Launch Umler** link at the bottom of the portlet and query the Equipment ID. Refer to the [Umler User Guide](#) for information about performing an Equipment ID query in Umler.

Using the Repair and Inspection Reporting Portlet

The Repair and Inspection Reporting portlet enables authorized users to submit various inspections and repairs, including multiple entries that can be submitted at the same time ([Exhibit 19](#) and [Exhibit 20](#)), and requires EHMS Generic Access and EHMS Car Repair History permissions.

This portlet can be used in two different ways:

- 1) Choose the Select Actions dropdown to select repairs or inspections.
- 2) This portlet is automatically invoked when you select an Inspection or Repair link in another portlet.

For all entries, the default input fields (Equipment ID, Repair Date, SPLC, Performer, and Reporter) are required. Equipment ID and Reporter are defaulted to selected equipment and the [User Mark Selection](#) when opening EHV.

Exhibit 9. Repair and Inspection Reporting by Equipment ID Form

Repair and Inspection Reporting - RAIL0000000346

Equipment ID * RAIL0000000346 Repair Date * 7/25/2019 x **SPLC *** **Performer *** Reporter * BNSF

Select Action ▼ Clear Submit

The various repairs or inspections can be selected from the Select Action drop-down.

Exhibit 10. Repair and Inspection Reporting Actions Drop-Down

Repair and Inspection Reporting- RAIL0000000346

Equipment ID * RAIL0000000346 Repair Date * 9/8/2022 x **SPLC *** **Performer *** Reporter * RAIL

Select Action ▼

- Report Repair
- Report EHMS Inspection
- Report EA Inspection
- Report ABT
- Report Door Lube Inspection
- Report Vehicular Flat Car Certification

Clear Submit

When an action is selected, entry fields open between the default input fields in the portlet and the **Select Action** drop-down.

Exhibit 11. Repair and Inspection Reporting Action Selected

The screenshot displays the 'Repair and Inspection Reporting- RAIL0000000347' portlet. At the top, there are input fields for 'Equipment ID *' (RAIL0000000347), 'Repair Date *' (12/2/2019), 'SPLC *' (SPLC required), 'Performer *' (Performer required), and 'Reporter *' (RAIL). Below these, a red minus icon is next to the 'Report Repair' action. To the right of this action are fields for 'Job Code *' (Job Code required), 'A. Qualifier', 'Why Made', 'CRB Location *' (CRB Location required), and 'Component ID'. At the bottom left is a 'Select Action' dropdown menu, and at the bottom right are 'Clear' and 'Submit' buttons.

General Interface Description:

- The type of action is indicated at the left (EHMS Repair).
- For all entries, the default input fields (**Equipment ID**, **Repair Date**, **SPLC**, **Performer**, and **Reporter**) are required.
- If action was selected in error, it can be removed using the minus icon (⊖) at the left.
- The **Submit** button submits the input to the appropriate system.
- The **Clear** button removes all selected actions from the portlet (*including processed actions*).
- Input fields for each action vary. These are described in the following sections:
 - [Report Repair](#)
 - [Report EHMS Inspection](#)
 - [Report Equipment Advisory Inspection](#)

Umler Inspections:

- [Report ABT](#) – all these are the same as Report ABT:
 - Report Door Lube Inspection
 - Report Vehicular Flat Car Certification
 - Report Autorack Certification
 - Report Autorack Repair
 - Report Reflectorization Event
- [Report Autorack Inspection](#)
- [Report Car Grade Inspection](#)

Report Repair

Note: You must have CRB and/or EHMS Car Repair History SSO permissions to report car repairs.

When you select **Report Repair** from the drop-down, the Report Repair fields are displayed.

Exhibit 12. Repair and Inspection Reporting Report Repair Form

Repair and Inspection Reporting- RAIL0000000347

Equipment ID *	Repair Date *		SPLC *	Performer *	Reporter *
RAIL0000000347	12/2/2019	x	SPLC required	Performer required	RAIL

Report Repair	Job Code *	A. Qualifier	Why Made	CRB Location *	Component ID
	Job Code required			CRB Location required	

Select Action

Clear **Submit**

1. Use the calendar icon () to select the **Repair Date** to be reported.
2. Type in the **SPLC** where the repair was done or use the lookup icon () to search for the SPLC.
3. Type in the MARK of the **Performer** (e.g., a shop mark).
4. The **Reporter** defaults to your company.
5. Complete the following fields in accordance with the *AAR Field Manual* and the *AAR Office Manual*:
 - a. **Job Code**
 - b. (conditional) **Applied Qualifier**
 - c. (conditional) **Why Made**
 - d. **CRB Location**
 - e. (conditional) **Component ID**—from Umler Component Registry
6. When the input fields are complete, select **Submit**. The portlet displays the reported repair ([Exhibit 13](#)) and success or error messages. For errors messages (error messages are in red), correct the inputs and **Submit** again. For more message examples, see [Exhibit 19](#) and [Exhibit 20](#).

Exhibit 13. Repair and Inspection Reporting Success Message

The screenshot shows a success message for a repair report. The form title is "Repair and Inspection Reporting- RAIL0000000347". The top section contains fields for Equipment ID * (RAIL0000000347), Repair Date * (12/2/2019), SPLIC * (123456), Performer * (RAIL), and Reporter * (RAIL). Below this is a section for "Report Repair" with fields for Job Code * (3334), A. Qualifier, Why Made, CRB Location * (1), and Component ID. A green success message box states: "EHMS: Submitted closures Succeeded. 1 closures Submitted, 0 Failed Validation, 0 Had Errors." At the bottom, there is a "Select Action" dropdown, a "Clear" button, and a "Submit" button.

No further edits can be done to the submitted entry. A new action can be selected.

EHMS Inspection

When you select **Report EHMS Inspection** from the **Select Action** drop-down, the EHMS Inspection fields are displayed.

Exhibit 14. Repair and Inspection Reporting EHMS Inspection Form

The screenshot shows the EHMS Inspection form. The title is "Repair and Inspection Reporting- RAIL0000000347". The top section contains fields for Equipment ID * (RAIL0000000347), Repair Date * (12/2/2019), SPLIC * (with a red "SPLIC required" error message), Performer * (with a red "Performer required" error message), and Reporter * (RAIL). Below this is a section for "EHMS Inspection" with a dropdown menu showing options: ABD, AEIUMLER, THD, TPDG, TPD, and WILD. To the right of the dropdown is a field for CRB Location * (with a red "CRB Location required" error message). At the bottom, there is a "Select Action" dropdown, a "Clear" button, and a "Submit" button.

1. Use the calendar icon (📅) to select the **Repair/Inspection Date** to be reported.
2. Type in the **SPLIC** where the repair was done or use the lookup icon (🔍) to search for the SPLIC.
3. Type in the MARK of the **Performer** (e.g., a shop mark).
4. The **Reporter** defaults to your company.
5. Select the **Inspection Type and Reason**. Refer to the [EHMS User Guide](#) and the *AAR Field Manual*.

6. Type in the **CRB location** (refer to *AAR Field Manual*, Rule 83).
7. When the input fields are complete, select **Submit**. The portlet displays the reported repair (similar to [Exhibit 13](#)).

Equipment Advisory Inspection

When you select **Report EA Inspection** from the drop-down, the Equipment Advisory Inspection fields are displayed.

Exhibit 15. Repair and Inspection Reporting Equipment Advisory Inspection Form

Repair and Inspection Reporting- RAIL0000000055

Equipment ID * RAIL0000000055 Repair Date * 9/8/2022 x SPLC * Performer * RAIL

SPLC required Performer required

Report EA Inspection Category * EI Advisory Number * Advisory Number required

Select Action

ME - Car inspected, defect found, and ow...
MH - Car inspected, defect found, repaire...
MI - Car deleted from Umler.
MN - Car incorrectly added to Advisory.
MP - An Activity Code was reported in er...
MR - Car inspected, no defect found, and...

Umler Inspections

Air Brake Test

1. Use the calendar icon (📅) to select the **Repair/Inspection Date** to be reported.
2. Type in the **SPLC** where the repair was done or use the lookup icon (🔍) to search for the SPLC.
3. Type in the MARK of the **Performer** (e.g., a shop mark).
4. The **Reporter** defaults to your company.
5. Select the Equipment Advisory **Category** (EI, IN, or SH).
6. Enter the **Advisory Number**.
7. Select the **Inspection Code**. Refer to the [Equipment Advisory User Guide](#).
8. When the input fields are complete, select **Submit**. The portlet displays the reported repair (similar to [Exhibit 13](#)).

ABT Inspection

When you select **Report ABT** from the drop-down, the Report ABT fields are displayed ([Exhibit 16](#)).

Exhibit 16. Repair and Inspection Reporting ABT Inspection Form

Repair and Inspection Reporting- RAIL0000000347

Equipment ID * RAIL0000000347 Repair Date * 12/2/2019 x **SPLC *** **Performer *** Reporter * RAIL

SPLC required Performer required

Report ABT Device Type * M - Manual

Select Action Clear Submit

Note: This interface is also used for the following:

- Door Lube
 - Vehicular Flat Car Certification
 - Autorack Certification
 - Autorack Repair
 - Reflectorization Event
 - Autorack Inspection
 - Car Grade Inspection
-

1. Use the calendar icon (📅) to select the **Inspection Date** to be reported.
2. Type in the **SPLC** where the repair was done or use the lookup icon (🔍) to search for the SPLC.
3. Type in the MARK of the performer (e.g., a shop mark).
4. The Reporter defaults to your company.
5. Select the Device Type (Manual, Automatic, or 4-Port) – refer to the [Umler User Guide](#) for more information on device types.
6. When the input fields are complete, select **Submit**. EHV displays the reported inspection (similar to [Exhibit 13](#)). You can then select new actions.

Autorack Inspection

When you select **Autorack Inspection** from the drop-down, the Report Autorack Inspection fields are displayed ([Exhibit 17](#)).

Exhibit 17. Repair and Inspection Reporting Autorack Inspection Form

Repair and Inspection Reporting- RAIL0000000347

Equipment ID * RAIL0000000347 Repair Date * 12/2/2019 x SPLC * Performer * Reporter * RAIL

SPLC required Performer required

☒ Report Autorack Inspection

Inspector ID * Ext. Door * Ext. Roof Sheets * Ext. Shear Panel *

Inspector ID required Ext. Door required Ext. Roof Sheets required Ext. Shear Panel required

Ext. Side Screens * Int. Door * Int. Shear Panel * Int. Side Posts *

Ext. Side Screens required Int. Door required Int. Shear Panel required Int. Side Posts required

Top Deck Surface * Underside of Deck *

Top Deck Surface required Underside of Deck required

Select Action

Clear Submit

1. Use the calendar icon () to select the **Inspection Date** to be reported.
2. Type in the **SPLC** where the repair was done or use the lookup icon () to search for the SPLC.
3. Type in the MARK of the performer (e.g., a shop mark).
4. The Reporter defaults to your company.
5. Enter the Inspector's ID.
6. Enter the inspector's grades for each of the nine specified car parts/areas. Refer to the [Umler User Guide](#) for more information.
7. When the input fields are complete, select **Submit**. The portlet displays the reported inspection (similar to [Exhibit 13](#)).

Car Grade Inspection

When you select **Car Grade Inspection** from the drop-down, the Report Car Grade Inspection fields are displayed.

Exhibit 18. Repair and Inspection Reporting (Car Grade Inspection)

Repair and Inspection Reporting - RAIL0000000346

Equipment ID * RAIL0000000346 Repair Date * 7/26/2019 SPLC * Performer * RAIL Reporter *

SPLC required Performer required

Report Car Grade Inspection Hours * Minutes * AM PM Select One

Select Action

A - Grade A
B - Grade B
C - Grade C
D - Holes in Floor or Sides, Gates may be...
E - Door Defect (Shipper/Receiver)
H - Floor Defect (Shipper/Receiver)

1. Use the calendar icon (📅) to select the **Inspection Date** to be reported.
2. Type in the **SPLC** where the repair was done or use the lookup icon (🔍) to search for the SPLC.
3. Type in the **MARK** of the performer (e.g., a shop mark).
4. The Reporter defaults to your company.
5. Enter the Inspection Time in 12-hour format.
6. Select AM or PM.
7. Select the inspector's car grade from the drop-down. Refer to [Umler User Guide](#).
8. When the input fields are complete, select **Submit**. The portlet displays the reported inspection (similar to [Exhibit 13](#)).

Multiple Actions in One Submission

You can enter both repairs and various inspections in a single submission within the Repair and Inspection Reporting portlet (by selecting **Select Action**), or by selecting a **Repair** or **Inspection** link in another portlet. [Exhibit 19](#) shows one Umler inspection selected using the link within the portlet and two repairs selected from the Select Action drop-down in the Repair and Inspection Reporting portlet with all required data—ready for submission.

Exhibit 19. Multiple Repairs and Inspection Ready for Submission

Repair and Inspection Reporting- RAIL0000000109

Equipment ID *	Repair Date *	SPLC *	Performer *	Reporter *
RAIL0000000109	12/2/2019	123456	RAIL	RAIL

Report Repair

Job Code *

3334

A. Qualifier

Why Made

CRB Location *

3

Component ID

Report ABT

Device Type *

A - Automatic

Report Repair

Job Code *

3276

A. Qualifier

Why Made

CRB Location *

1

Component ID

Select Action

Clear

Submit

Umler Inspections

Air Brake Test

ABT Due Date	11/21/2016	Inspection
ABT 5-8 Year Due Date	11/21/2016	

Launch Umler

Equipment Health Management System

Alerts

Alert Type	Location	Alert Level	At Level Since	Action	Action
WILD ALERTS	Wheel 01L	AAR Condemnable	05/08/2019	Inspection	Repair
WILD ALERTS	Wheel 04L	ATSI Window Open	05/08/2019	Inspection	Repair

Data Summaries

Data Summary	Location	Status	Maximum Readings
SALIENT WHEEL IMPACT	Wheel 04L	Window Open65-79KIP alert	Peak 66.0 Dyn 42.1 Ratio 2.8
SALIENT WHEEL IMPACT	Wheel 03L	No alert	Peak 60.0 Dyn 40.0 Ratio 3.0
SALIENT WHEEL IMPACT	Wheel 01R	No alert	Peak 61.2 Dyn 36.1 Ratio 2.4
SALIENT WHEEL IMPACT	Wheel 01L	Condemnable alert	Peak 95.8 Dyn 83.2 Ratio 7.6

Launch EHMS

[Exhibit 20](#) shows the portlet after submission. The messages with green check icons show that the transactions were successful, and closures executed. Look for responses from the application portlets, and you may need to refresh each portlet to view updates. In this example, the other portlets reflect recent updates (Umler), or removal of completed transactions (only one alert remains in EHMS).

Exhibit 20. Multiple Repairs and Inspection After Submission

Repair and Inspection Reporting- RAIL0000000109

Equipment ID *	Repair Date *	SPLC *	Performer *	Reporter *
RAIL0000000109	12/2/2019	404534000	RAIL	RAIL

Report Repair	Job Code *	A. Qualifier	Why Made	CRB Location *	Component ID
	3334			3	

EHMS: Submitted closures Succeeded. 1 closures Submitted, 0 Failed Validation, 0 Had Errors.

Report ABT	Device Type *
	A - Automatic

UMLER: ABT transaction is successful

UMLER: Report UMLER Inspection - Successful

Report Repair	Job Code *	A. Qualifier	Why Made	CRB Location *	Component ID
	3276			1	

EHMS: Submitted closures Succeeded. 1 closures Submitted, 0 Failed Validation, 0 Had Errors.

Select Action
 Clear
Submit

Umler Inspections

Air Brake Test

Inspection Date Done	07/31/2019	Inspection
ABT Due Date	07/31/2020	
ABT 5-8 Year Due Date	07/01/2024	

Launch Umler

Equipment Health Management System

Alerts

Alert Type	Location	Alert Level	At Level Since	Action	Action
WILD ALERTS	Wheel 04L	ATSI Window Open	05/08/2019	Inspection	Repair

Data Summaries

Data Summary	Location	Status	Maximum Readings
SALIENT WHEEL IMPACT	Wheel 04L	Window Open65-79KIP alert	Peak 66.0 Dyn 42.1 Ratio 2.8

Launch EHMS


Although no further actions can be taken on the submitted repairs and inspections, you can enter additional inspections or repairs by using the **Select Action** drop-down, or by selecting a link in another portlet.

If the Repair and Inspection Reporting portlet becomes crowded, select **Clear** to remove the entries (whether processed or not).


Using the Umler Inspections Portlet

The Umler Inspections portlet displays Umler Inspection information. Inspections are listed by type.

Exhibit 21. Umler Inspections Sample

Umler Inspections		
<u>Air Brake Test</u>		
Inspection Date Done	10/25/2018	Inspection
ABT Due Date	10/25/2019	
ABT 5-8 Year Due Date	10/01/2023	
<u>Door Lube Inspection</u>		
Inspection Date Done	07/02/2019	Inspection
<u>Reflectorization Event</u>		
Inspection Date Done	07/03/2019	Inspection
Launch Umler		

Note: When you select an **Inspection** link, the Repair and Inspection Reporting portlet opens the corresponding inspection entry field to allow you to input a new inspection (refer to [Exhibit 16](#) after selecting the Inspection link for ABT).

Select the refresh icon () to update the Umler Inspections portlet after submitting inspections.

To view the complete data for the selected Equipment ID, select the **Launch Umler** link at the bottom of the portlet and query the Equipment ID. Refer to the [Umler User Guide](#) for information about performing an Equipment ID query in Umler.

Using the Equipment Health Management System Portlet

The Equipment Health Management System portlet displays EHMS alerts and data summaries for the highlighted Equipment ID. A typical listing of alerts and data summaries is shown in [Exhibit 22](#).

Exhibit 22. Equipment Health Management System Sample

Equipment Health Management System

Alerts

Alert Type	Location	Alert Level	At Level Since	Event Name	Action	Action
WPDWHEEL	Wheel 04R	ATSI Window Open	08/01/2019	RIM_THICKNESS	Inspection	Repair
			08/01/2019	FLANGE_THICKNESS		

Data Summaries

Data Summary	Location	Status	Maximum Readings
WPD Data Summary	Wheel 02R	No alert	
WPD Data Summary	Wheel 02L	No alert	
WPD Data Summary	Wheel 03L	No alert	
WPD Data Summary	Wheel 01L	No alert	
WPD Data Summary	Wheel 04R	No alert	
WPD Data Summary	Wheel 01R	No alert	
WPD Data Summary	Wheel 03R	No alert	
WPD Data Summary	Wheel 04L	No alert	

Launch EHMS

Note: When you select an **Inspection** link, the Repair and Inspection Reporting portlet opens the EHMS Inspection entry field to enable you to input a new inspection (see [Exhibit 14](#)). When the **Repair** link is selected, the Repair and Inspection Reporting portlet opens the Report Repair entry field to enable you to input a new repair (see [Exhibit 12](#)).


Select the refresh icon (↻) to update the EHMS portlet after submitting inspections or repairs.

To view the complete EHMS data for the selected Equipment ID, select the **Launch EHMS** link at the bottom of the portlet and query the Equipment ID in EHMS. Refer to the [EHMS User Guide](#) for more information about EHMS Equipment ID queries as well as details about EHMS alerts and data summaries.


Using the Equipment Advisory Notices Portlet

The Equipment Advisory Notices portlet displays Equipment Advisory notices for the highlighted Equipment ID. Representative Equipment Advisories are shown in [Exhibit 23](#).

Exhibit 23. Equipment Advisory Sample

Equipment Advisory 						
Advisory	Severity	Effective Date	Escalation Date	Title	Location	Action
EI 0100	A2	06/11/2021		014	A	Inspection
EI 0286	XX	07/21/2021		QA-7-21.1	4	Inspection
EI 0360	A2	07/27/2022	07/28/2023	QA		Inspection
SH 4023	XX	03/23/2022		QA		Inspection
IN 3001	A9	05/28/2021		Informational Advisory for Rule 95 Incidents		Inspection
IN 3002	A9	05/28/2021		Informational Advisory for Rule 96 Incidents		Inspection
IN 3004	A9	05/28/2021		Informational Advisory for Rule 108 Incidents		Inspection
IN 3000	A9	05/28/2021		Informational Advisory for Rule 1 Incidents		Inspection
EI 0346	XX	06/09/2022		QA-Sanity		Inspection
EI 0313	A2	11/30/2021	06/10/2023	QA		Inspection
EI 0345	A1	06/08/2022	09/14/2022	QA InitPrioritization		Inspection
Launch Equipment Advisory						

Note: When you select an **Inspection** link, the Repair and Inspection Reporting portlet opens the Equipment Advisory Inspection entry field to enable you to input a new inspection (refer to [Exhibit 15](#)).


Select the refresh icon () to update the Equipment Advisory Notices portlet after submitting inspections or repairs.

To view the complete Equipment Advisory data for the selected Equipment ID, select the **Launch Equipment Advisory** link at the bottom of the portlet and query the Equipment ID. Refer to the [Equipment Advisory User Guide](#) for information about performing an Equipment ID query in Equipment Advisory.

Using the Damaged and Defective Car Tracking Portlet

The Damaged and Defective Car Tracking portlet displays DDCT information if you are party to the incident as shown in [Exhibit 24](#). If you are not party to the incident, no results are displayed.

Exhibit 24. Damaged and Defective Car Tracking Sample

Damaged and Defective Car Tracking							
Incident ID	Incident Date	Originating Road	Car Mark Owner	Interchange Rule	Defect	Status	
NS00334728	07/10/2019	NS	RAIL	102	Y	Open	
Launch DDCT							

Note: No actions are available from this portlet. You must report repairs in DDCT.

To view the complete DDCT incident data for the selected Equipment ID, select the **Launch DDCT** link at the bottom of the portlet and query the Equipment ID. Refer to the [DDCT User Guide](#) for information about Equipment ID queries and incident queries.


Using the Mileage Portlet

The Mileage portlet displays mileage information from the Event Repository to the car owner. This portlet can show the actual computed mileage, “No Data”, or “Very Few Miles” (if the data is confidential).

- Application Dt (Date) is the repair date reported by the customer.
- From Dt (Date) is the earliest recorded movement date
- To Dt (Date) is the latest recorded movement.

If Components have been added to an Equipment ID, mileage and dates of component application are shown ([Exhibit 25](#)).

Exhibit 25. Mileage with applied Wheelset Components

Mileage 				
Equipment Miles 10820 From 03/24/2016 To 12/20/2016				
Component Miles				
Component	Miles	Application Date	From Date	To Date
WHEELSET 1	10820	01/24/2016	03/24/2016	12/20/2016

Note: This information is confidential and is only available to the car owner. No actions other than sorting are available from this portlet. You can obtain detailed component data from Umler. Refer to the [Umler User Guide](#) and the [Component Tracking User Guide](#) for more information.

Accessing the User Guide

To open the user guide for Equipment Health View, select **User Guide** from the menu bar. The user guide opens in a new browser window. You can view, search, or print the user guide. When finished, close the browser window (✕) to return to the Home page.

Note: Other reference materials (webinar slides, demos, and FAQs) are also available on the Railinc web portal at <https://public.railinc.com/products-services/equipment-health-view>.

Glossary

AAR—Association of American Railroads

DDCT—Damaged and Defective Car Tracking system. A damaged car is one governed by Interchange Rule 107. Such cars are badly damaged or destroyed. A defective car is one governed by Interchange Rule 108. Such cars require general repairs in excess of 36 hours including trucks or 25 hours excluding trucks.

EHMS—Equipment Health Management System.

Equipment Advisory—System that handles AAR Equipment Advisory notices.

Equipment Health View (EHV)—A dashboard-style application that provides data from several Railinc applications regarding the health status for specified equipment IDs.

Event Repository—Railinc database of train movements and billing data.

Mileage—Mileage information from the Event Repository. Can also show mileage and dates of component application.

Repair Service—Railinc process that sends data from EHV to the corresponding Railinc system.

Umler[®]—Universal Machine Language Equipment Register (UMLER)

Index

- ABT inspection
 - MARK, 16
 - Reporter, 16
 - reporting, 16
- access
 - Equipment Health View, 1
 - SSO, 3
- Adobe Acrobat Viewer, 2
- AM/PM indicator (Car Grade inspection), 18
- Applied Qualifier, 13
- Autorack Certification. *See* ABT Inspection
- Autorack inspection
 - date, 17
 - Grades, 17
 - Inspector ID, 17
 - MARK, 17
 - Reporter, 17
 - reporting, 17
- Autorack Repair. *See* ABT Inspection
- browser, 2
- Car Grade inspection
 - AM/PM indicator, 18
 - date, 18
 - grade, 18
 - MARK, 18
 - Reporter, 18
 - reporting, 18
 - Time, 18
- Component ID, 13
- computer requirements, 2
- contacting Railinc, 2
- CRB Location, 13, 15
- CSV format, 2
- Customer Success Center, 2
- Damaged and Defection Car Tracking, 1
- DDCT
 - feed, 1
 - portlet, 24
- Door Lube Inspection. *See* ABT Inspection
- EA inspection
 - Inspection Code, 15
 - MARK, 15
 - Notice Number, 15
 - Notice Type, 15
 - Reporter, 15
 - reporting, 15
- EHMS
 - multi-company users, 4
 - Select Your Company, 2
- EHMS inspection
 - CRB Location, 15
 - date, 14
 - Inspection Reason, 14
 - Inspection Type, 14
 - MARK, 14
 - Reporter, 14
 - reporting, 14
- EHMS portlet, 22
- EHV
 - computer requirements, 2
 - Customer Success Center, 2
- Equipment, 3
- Equipment Advisory, 1
- Equipment Advisory Notices portlet, 23
- Equipment Health View
 - access, 1
 - DDCT portlet, 24
 - EHMS portlet, 22
 - Equipment Advisory Notices portlet, 23
 - log in, 4
 - log out, 5
 - Mileage portlet, 9, 25
 - overview, 1
 - portal, 6
 - Repair and Inspection Reporting portlet, 11
 - time out, 5
 - Umler Equipment Registry portlet, 10
 - Umler Inspections portlet, 21
 - User Guide tab, 26
- Equipment ID
 - change displayed, 8
 - range, 8
 - single, 8
- error message, 13
- glossary, 27
- grade (Car Grade inspection), 18
- Grades (Autorack inspection), 17
- inspection
 - ABT, 16
 - Autorack, 17
 - Autorack Certification, 16
 - Autorack Repair, 16
 - Car Grade, 18
 - Door Lube, 16
 - EA, 15
 - EHMS, 14
 - link, 21, 22, 23
 - Vehicular Flat Car, 16
- Inspection Code (EA), 15
- Inspector ID (Autorack inspection), 17
- Job Code, 13
- link
 - inspection, 21, 22, 23
 - repair, 22
- log in, 4
- log out, 5
- MARK
 - ABT inspection, 16
 - Autorack inspection, 17
 - Car Grade inspection, 18
 - EA inspection, 15
 - EHMS inspection, 14
 - repair, 13
- Microsoft Excel Viewer, 2
- Mileage portlet, 9, 25
- multi-company users (EHMS), 4
- Notice
 - Number (EA), 15
 - Type (EA), 15
- PDF viewer, 2
- portlet
 - DDCT, 24
 - EHMS, 22
 - Equipment Advisory Notices, 23
 - Mileage, 9, 25
 - Repair and Inspection Reporting, 11
 - Umler Equipment Registry, 10
 - Umler Inspections, 21
- Railinc, contacting the Customer Success Center, 2
- Reason (EHMS inspection), 14

Reflectorization Event. *See* ABT Inspection
repair

- Applied Qualifier, 13
- Component ID, 13
- CRB Location, 13
- date, 13, 14, 15, 16, 17, 18
- Job Code, 13
- link, 22
- MARK, 13
- Reporter, 13
- reporting, 13
- SPLC, 13, 14, 15, 16, 17, 18
- Why Made, 13

Repair and Inspection Reporting

- ABT Reporting, 16
- Autorack Inspection, 17
- Car Grade Inspection, 18
- EA Inspection, 15
- EHMS Inspection, 14
- portlet, 11
- report repair, 13

report

- ABT Inspection, 16
- Autorack Inspection, 17
- Car Grade Inspection, 18
- EA Inspection, 15
- EHMS Inspection, 14
- repair, 13

Reporter

- ABT inspection, 16

- Autorack inspection, 17

- Car Grade inspection, 18

- EA inspection, 15

- EHMS inspection, 14

- repair, 13

search

- change displayed Equipment ID, 8

- limits, 8

- no wildcard, 8

Select Your Company (EHMS), 4

Sign Out, 5

Single Sign On, 3

SPLC

- repair, 13, 14, 15, 16, 17, 18

SSO

- EHMS permissions, 3

- registration, 3

system requirements, 2

tab

- User Guide, 26

Time (Car Grade inspection), 18

time out, 5

Umler Equipment Registry portlet, 10

Umler Inspections portlet, 21

User Guide tab, 26

Vehicular Flat Car Certification. *See* ABT Inspection

web browser, 2

Why Made, 13

wildcard for search, 8